




Air Suspension Bearing Co., Ltd

INA NK20/20 needle roller bearings



Bearing No. NK20/20

Size	20x28x20 mm
Bore Diameter	20 mm
Outer Diameter	28 mm
Width	20 mm
F_w	20 mm
D	28 mm
C	20 mm
r_{min}	0,3 mm
m	33,9 g / Weight
C_r	18600 N / Dynamic load rating (radial)
C_{0r}	23800 N / Static load rating (radial)
C_{ur}	4150 N / Fatigue limit load, radial
n_G	21100 1/min / Limiting speed
n_B	11600 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.034
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer

NK20/20 Bearing 2D drawings and 3D CAD models



Air Suspension Bearing Co., Ltd

	Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	20MM Bore; 28MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not Separable; Not Close
Other Features	2 Rib Outer Ring Radial Precision Steel Cage Ground Raceway with Rib Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.99.65.30
Noun	Roller Assembly with Outer Ring
Keyword String	Bearing Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NK20/20
Weight / LBS	0.075
Bore	0.787 Inch 20 Millimeter
Width	0.787 Inch 20 Millimeter
Outside Diameter	1.102 Inch 28 Millimeter



Air Suspension Bearing Co., Ltd